INTERNATIONAL **STANDARD**

ISO 2250

Third edition 2017-02

Aning reamers for Morse and Anetric tapers, with cylindrical shanks and Morse taper shanks

Alésoirs de finition pour cônes Morse et métrique, à queue cylindrique et à queue cône Morse

Alésoirs de finition pour cônes Morse et métrique, à queue cylindrique et à queue cône Morse

Alésoirs de finition pour cônes Morse et métrique, à queue cylindrique et à queue cône Morse

Alésoirs de finition pour cônes Morse et métrique, à queue cylindrique et à queue cône Morse

Alésoirs de finition pour cônes Morse et métrique, à queue cylindrique et à queue cône Morse

Alésoirs de finition pour cônes Morse et métrique, à queue cylindrique et à queue cône Morse

Alésoirs de finition pour cônes Morse et métrique, à queue cylindrique et à queue cône Morse

Alésoirs de finition pour cônes Morse et métrique, à queue cylindrique et à queue cône Morse

Alésoirs de finition pour cônes Morse et métrique, à queue cylindrique et à queue cône Morse

Alésoirs de finition pour cônes Morse et métrique, à queue cylindrique et à queue cône Morse

Alésoirs de finition pour cônes Morse et métrique, à queue cylindrique et à queue con morse de la contract de la c



STANDARDS 60.COM. Click to View the full PDF of 1802280.2017



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Cor	ntent	ES CONTRACTOR OF THE PROPERTY	Page
Fore	word		iv
1	Scop	oe	1
2	Norr	native references	1
3	Tern	ns and definitions	1
4	4.1 4.2	ensions General Cylindrical shank reamers Morse taper shank reamers	1
Anne	ex A (in ISO 1	formative) Relationship between designations in this document and the	4

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 9, *Tools with defined cutting edges, cutting items*.

This third edition cancels and replaces the second edition (ISO 2250:2009), of which it constitutes a minor revision with the following change:

— added <u>Annex A</u>, giving the relationship between the symbols of this document and the symbols according to the ISO 13399 series.

iv

Finishing reamers for Morse and metric tapers, with cylindrical shanks and Morse taper shanks

1 Scope

This document specifies the dimensions of cylindrical shank socket reamers and taper shank socket reamers manufactured to produce self-holding taper sockets for self-holding taper shanks of the following designations, and which are in accordance with ISO 296:

- metric tapers no. 4 and no. 6;
- Morse tapers no. 0 to no. 6 inclusive.

NOTE Unless otherwise stated, these reamers are right-hand cutting.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 237, Rotating tools with parallel shanks — Diameters of shanks and sizes of driving squares

ISO 296, Machine tools — Self-holding tapers for tool shanks

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp


4 Dimensions

4.1 General

All dimensions are given in millimetres. The shanks and driving squares of the tools shall be in accordance with ISO 237. The Morse taper shanks shall be in accordance with ISO 296.

4.2 Cylindrical shank reamers

The dimensions of cylindrical shank reamers shall be as given in Figure 1 and Table 1.




Key

- gauge plane 1
- cylindrical shank in accordance with ISO 237

<i>l</i> ₁						A	
Key							
1 gauge plane							
	2 cylindrical shank in accordance with ISO 237						
- J	2 - Cymnur Iour Shuinic III uccor uunice With 150 207						
Key 1 gauge plane 2 cylindrical shank in accordance with ISO 237 Figure 1 — Cylindrical shank reamers							
	Table 1 — Dimensions of cylindrical shank reamers						
	Dimensions in millimetre						
	Taper		l_1	12	l_3	d _{2 h9}	
Designation	Taper rate	4.000	40	1/10	2.2	4.0	
Metric No. 4	1:20,000	4,000	48	30	22	4,0	
Metric No. 6	1:20,000	6,000	63	40	30	5,0	
Morse No. 0	1:19,212	9,045	93	61	48	8,0	
Morse No. 1	1:20,047	12,065	102	66	50	10,0	
Morse No. 2	1:20,020	17,780	121	79	61	14,0	
Morse No. 3	1: 19,922	23,825	146	96	76	20,0	
Morse No. 4	1:19,254	31,267	179	119	97	25,0	
Morse No. 5	1:19,002	44,399	222	150	124	31,5	
Morse No. 6	1:19,180	63,348	300	208	176	45,0	

4.3 Morse taper shank reamers

The dimensions of Morse taper shank reamer shall be as given in Figure 2 and Table 2.



Key

- 1 gauge plane
- 2 Morse taper in accordance with ISO 296

Figure 2 — Morse taper shank reamer

Table 2 — Dimensions of Morse taper shank reamers

Dimensions in millimetres

Та	per	_	III	_	
Designation Rate of taper		d_1	I_1	l_2	l_3
Metric No. 4	1:20,000	4,000	106	30	22
Metric No. 6	1:20,000	6,000	116	40	30
Morse No. 0	1:19,212	9,045	137	61	48
Morse No. 1	1:20,047	12,065	142	66	50
Morse No. 2	1:20,020	17,780	173	79	61
Morse No. 3	1:19,922	23,825	212	96	76
Morse No. 4	1:19,254	31,267	263	119	97
Morse No. 5	1:19,002	44,399	331	150	124
Morse No. 6	1:19,180	63,348	389	208	176

Annex A

(informative)

Relationship between designations in this document and the ISO 13399 series

For the relationship between the designations in this document and preferred symbols according to ISO 13399 (all parts), see <u>Table A.1</u>.

Table A.1 — Relationship between designations in this document and the ISO 13399 series

Symbol in ISO 2250 (this document)	Reference in ISO 2250 (this document)	Property name in the ISO 13399 series	Symbol in the ISO 13399 series	Reference in the ISO 13399 series	
	<u>Figure 1</u>		/.	9,	
d.	<u>Figure 2</u>	cutting diameter minimum	DCM	71D0846556288	
d_1	<u>Table 1</u>				
	<u>Table 2</u>				
d_2	<u>Figure 1</u>	connection diameter machine	DCONMS	71EBDBF5060E6	
u ₂	<u>Table 1</u>	side			
d _{2 h9}	<u>Table 1</u>	tolerance class connection diameter machine side	TCDCONMS	72719B2BD8041	
	Figure 1	:ct	OAL	71D078EB7C086	
1.	<u>Figure 2</u>	overalHength			
l_1	<u>Table 1</u>	overaliteligtii			
	<u>Table 2</u>	COLA			
	Figure 1		L	71DD6C95DA49B	
l_2	Figure 2	cutting edge length			
12	Table 1	o cutting eage length			
	Table 2				
	<u>Figure 1</u>	distance reference point PK	LDC		
l ₃	Figure 2			726E3AAAF99A3	
15	Table 1	aistance reference point i K			
	Table 2				
Morse taper in accordance with ISO 296	Figure 2 Key 2	connection size code machine side	CZCMS	71EBDBF5060E6	