


| | | |
|---|--|---|
| <p>REV. A</p> <p>AS3436™</p> | <p>RATIONALE</p> <p>THIS DOCUMENT HAS BEEN DETERMINED TO CONTAIN BASIC AND STABLE TECHNOLOGY WHICH IS NOT DYNAMIC IN NATURE.</p> <p>STABILIZED NOTICE</p> <p>THIS DOCUMENT HAS BEEN DECLARED "STABILIZED" BY SAE E-25 GENERAL STANDARDS FOR AEROSPACE AND PROPULSION SYSTEMS COMMITTEE AND WILL NO LONGER BE SUBJECT TO PERIODIC REVIEWS FOR CURRENCY. USERS ARE RESPONSIBLE FOR VERIFYING REFERENCES AND CONTINUED SUITABILITY OF TECHNICAL REQUIREMENTS. NEWER TECHNOLOGY MAY EXIST.</p> | <p>FEDERAL SUPPLY CLASS 5365</p> |
| <p>SAE Executive Standards Committee Rules provide that: " This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."</p> <p>SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.</p> | <p><i>SAENORM.COM : Click to view the full PDF of as3436a</i></p> <p>For more information on this standard, visit https://www.sae.org/standards/content/AS3436A/</p> | <p>THIRD ANGLE PROJECTION</p>  <p>ISSUED 1987-09 REAFFIRMED 2018-08 STABILIZED 2024-02</p> |
| <p>CUSTODIAN: E-25</p> | <p>PROCUREMENT SPECIFICATION: NONE</p> <p>AEROSPACE STANDARD</p> <p>SPACER, SLEEVE – FOR .250 INCH BOLT, AMS4901 OR AMS4921</p> | <p>AS3436™</p> <p>REV. A</p> |