



UL 60745-1

STANDARD FOR SAFETY

Hand-Held Motor-Operated Electric
Tools – Safety – Part 1: General
Requirements

[ULNORM.COM](https://www.ulnorm.com) : Click to view the full PDF of UL 60745-1 2022

[ULNORM.COM](https://www.ulnorm.com) : Click to view the full PDF of UL 60745-1 2022

UL Standard for Safety for Hand-Held Motor-Operated Electric Tools – Safety – Part 1: General Requirements, UL 60745-1

Fourth Edition, Dated July 31, 2007

SUMMARY OF TOPICS

The revisions dated of ANSI/UL 60745-1 dated June 10, 2022 includes modifications to the CSA, UL, IEC, and ISO Standard Cross Reference Table; [2DV](#)

UL 60745-1 is an adoption of IEC 60745-1, Fourth Edition, issued by the IEC 2006. Please note that the National Difference document incorporates all of the U.S. national differences for UL 60745-1.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The revised requirements are substantially in accordance with Proposal(s) on this subject dated October 22, 2021 and February 4, 2022.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

[ULNORM.COM](https://www.ulnorm.com) : Click to view the full PDF of UL 60745-1 2022



CSA Group
CAN/CSA-C22.2 No. 60745-1-07
Third Edition
(IEC 60745-1:2006, MOD)



Underwriters Laboratories Inc.
UL 60745-1
Fourth Edition

Hand-Held Motor-Operated Electric Tools – Safety – Part 1: General Requirements

July 31, 2007

(Title Page Reprinted: June 10, 2022)

This national standard is based on publication IEC 60745-1, 4th Edition (2006).

ULNORM.COM : Click to view the full PDF of UL 60745-1 2022



ANSI/UL 60745-1-2022



Commitment for Amendments

This standard is issued jointly by the Canadian Standards Association (operating as “CSA Group”) and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to CSA Group or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of CSA Group and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue.

ISBN 1-55436-444-2 © 2007 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. The technical content of IEC and ISO publications is kept under constant review by IEC and ISO. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.

Copyright © 2022 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Fourth edition including revisions through June 10, 2022. The most recent designation of ANSI/UL 60745-1 as an American National Standard (ANSI) occurred on June 10, 2022. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

To purchase UL Standards, visit UL's Standards Sales Site at <http://www.shopulstandards.com/HowToOrder.aspx> or call toll-free 1-888-853-3503.

CONTENTS

Preface **9**

NATIONAL DIFFERENCES **11**

FOREWORD **13**

INTRODUCTION..... **17**

1 Scope 19
 1DV Addition: Add the following paragraph:..... 19

2 Normative references 20
 2DV Modification: Add the following:..... 20

3 Terms and Definitions 29
 3.57DV Modification: Add the following to the end of the definition:..... 33

4 General requirements 33

5 General conditions for the tests 34

6 Void 36

7 Classification 36

8 Marking and instructions 36
 8.1DV Modification: Add the following:..... 37
 8.1DV.1 Addition: Add the following clause:..... 37
 8.1DV.2 Modification: Add the following paragraph: 37
 8.12.1DV Modification: Add the following paragraph: 41
 8.12.1DV.1 Modification: Add the following paragraph to Clause 8.12.1:..... 42
 8.13DV Modification: Add the following:..... 46
 8.13DV.1 Modification: Add the following subclause:..... 47

9 Protection against access to live parts 48

10 Starting..... 49

11 Input and current 50

12 Heating..... 50

13 Leakage current 54
 13.2DV Modification: Replace the class I tools item with the following: 55

14 Moisture resistance 55

15 Electric strength 58

16 Overload protection of transformers and associated circuits..... 60

17 Endurance..... 60

18 Abnormal operation 61
 18.12DV Modification: Replace Clause [18.12](#) with Clauses 18.12DV.1 to 18.12DV.3..... 66

19 Mechanical hazards 68

20 Mechanical strength 69

21 Construction 70

22 Internal wiring 78
 22.3DV Modification: Delete the fourth paragraph and replace the third paragraph with the following: 78
 22.4DV Modification: Replace the first paragraph with the following: 79

23 Components 79

24 Supply connection and external flexible cords..... 81
 24.1DV Modification: Add the following sentence:..... 82
 24.4DV Modification: Replace [24.4](#) with the following:..... 83
 Table 6DV Modification: Replace [Table 6](#) with the following: 83
 24.6DV Modification: Replace the first paragraph with the following: 84

25 Terminals for external conductors 89
 Table 8DV Modification: Replace [Table 8](#) with the following: 90

26	Provision for earthing.....	92
	26.1DV Modification: Add the following sentence to the fifth paragraph of Clause 26.1 :	92
	26.2DV Modification: Add the following paragraphs:	93
27	Screws and connections	94
	27.3DV Modification:	96
28	Creepage distances, clearances and distances through insulation	96
29	Resistance to heat, fire and tracking	100
	29.1DV Modification: Replace the last paragraph with the following:.....	101
	29.2DV Modification: Replace Clause 29.2 with the following:.....	101
30	Resistance to rusting	102
31	Radiation, toxicity and similar hazards	103

Annex A (normative) Measurement of creepage distances and clearances

A.1	Measurement of creepage distances and clearances.....	115
-----	---	-----

Annex B (normative) Motors not isolated from the supply mains and having basic insulation not designed for the rated voltage of the tool

B.1	Scope	120
B.9	Protection against access to live parts	120
B.12	Heating	120
B.15	Electric strength	120
B.18	Abnormal operation	120
B.21	Construction	120
B.28	Creepage distances, clearances and distances through insulation	121

Annex C Void

Annex D Void

Annex E Void

Annex F (normative) Needle-flame test

5	Description of the test apparatus	125
	5.4 Specified layer.....	125
7	Severities	125
9	Test procedure	125
	9.3 Number of test specimens	125
11	Evaluation of test results	125

Annex G (normative) Proof tracking test

5	Test specimen.....	126
7	Test apparatus	126
8	Basic test procedure.....	126
9	Determination of erosion.....	126
10	Determination of proof tracking index (PTI).....	126
11	Determination of comparative tracking index (CTI)	126

Annex H Void**Annex I (normative) Switches**

8	Marking and documentation	128
13	Mechanism	128
15	Insulation resistance and dielectric strength	128
17	Endurance	128
	17.2.4.4 Test at accelerated speed (TC4).....	129
20	Clearances, creepage distances, solid insulation and coatings of rigid printed board assemblies.....	129

Annex J(informative) Selection and sequence of the tests of clause [29](#)**Annex K (normative) Battery tools and battery packs**

K.1	Scope	131
K.2	Normative references	131
K.3	Terms and Definitions	131
K.5	General conditions for the tests	132
K.7	Classification	132
K.8	Marking and instructions	132
	K.8.1DV Modification: Add the following after the last dashed item:.....	133
	K.8.12.1.1DV Modification: Add the following paragraph to Clause K.8.12.1.1:.....	133
K.9	Protection against electric shock	134
K.10	Starting	134
K.11	Input and current	134
K.12	Heating	134
K.13	Leakage current	135
K.14	Moisture resistance	135
K.15	Electric Strength.....	135
	K.15.1DV Modification: Add the following sentences:	135
K.16	Overload protection of transformers and associated circuits	135
K.17	Endurance	136
K.18	Abnormal operation	136
	K.18.1DV.1 Modification: Replace Item (b) of Clause K.18.1 with the following:.....	136
	K.18.1DV.2 Modification: Replace Item (c) of Clause K.18.1 with the following:	136
K.19	Mechanical Hazards.....	137
K.20	Mechanical strength	137
K.21	Construction	137
K.22	Internal wiring	137
K.23	Components	137
K.24	Supply connection and external flexible cords	138
K.25	Terminals for external conductors	138
K.26	Provision for earthing.....	138
K.27	Screws and connections	138
K.28	Creepage distances, clearances and distances through insulation	138
K.29	Resistance to heat, fire and tracking	140

Annex L (normative) Battery tools and battery packs provided with mains connection or non-isolated sources

L.1	Scope	142
-----	-------------	-----

L.2	Normative References	142
L.3	Terms and definitions	142
L.5	General conditions for the tests	143
L.7	Classification	143
L.8	Marking and Instructions	143
	L.8.12.1.DV Modification: Add the following paragraph to Clause L.8.12.1.1:	144
L.9	Protection against electric shock.....	144
L.10	Starting	145
L.11	Input and current	145
L.12	Heating	145
L.13	Leakage current	145
L.14	Moisture resistance	146
L.15	Electric strength	146
L.16	Overload protection of transformers and associated circuits.....	146
L.17	Endurance	146
L.18	Abnormal operation	146
	L.18.201DV.1 Modification: Replace Item (b) of Clause L.18.201 with the following:	147
	L.18.201DV.2 Modification: Replace Item (c) of Clause L.18.201 with the following:	147
L.19	Mechanical Hazards	147
L.20	Mechanical strength.....	147
L.21	Construction.....	147
L.22	Internal wiring.....	148
L.23	Components	148
L.24	Supply connection and external flexible cords.....	148
L.25	Terminals for external conductors	149
L.26	Provision for earthing	149
L.28	Creepage distances, clearances and distances through insulation	149
L.29	Resistance to heat, fire and tracking.....	150

Annex M (normative) Safety of working stands for operation with hand-held motor-operated electric tools

M.1	Scope.....	152
M.2	Normative references	152
	M.2.DV Modification: Add the following sentence:.....	152
M.3	Terms and Definitions	152
M.5	General conditions for the tests	152
M.7	Classification.....	153
M.8	Marking and instructions	153
M.10	Starting.....	154
M.11	Input and current.....	154
M.17	Endurance	154
M.19	Mechanical hazards.....	154
M.21	Construction.....	155
M.23	Components	156
M.24	Supply connection and external flexible cords.....	157
M.25	Terminals for external conductors	157

Annex N (normative) Rules for routine tests

N.1	General.....	158
N.2	Correct operation test.....	158
N.3	Electric strength test.....	158
N.4	Earthing continuity test	159
	Annex DVN National Difference Deleted	159

Bibliography

ULNORM.COM : Click to view the full PDF of UL 60745-1 2022

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 60745-1 2022

Preface

This is the harmonized CSA Group and UL standard for Hand-Held Motor-Operated Electric Tools – Safety – Part 1: General Requirements. It is the third edition of CAN/CSA-C22.2 No. 60745-1, and the fourth edition of UL 60745-1. This harmonized standard has been jointly revised on June 10, 2022. For this purpose, CSA Group and UL are issuing revision pages dated June 10, 2022.

This harmonized standard is based on IEC Publication 60745-1: fourth edition Hand-Held Motor-Operated Electric Tools – Safety – Part 1: General Requirements, issued April 2006. IEC 60745-1 is copyrighted by the IEC.

This harmonized standard was prepared by the CSA Group and Underwriters Laboratories Inc. (UL).

This standard is considered suitable for use for conformity assessment within the stated scope of the standard.

This standard was reviewed by the CSA Subcommittee on Safety of Hand-Held Motor-Operated Electric Tools, under the jurisdiction of the CSA Technical Committee on Consumer and Commercial Products and the CSA Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the CSA Technical Committee. This standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Application of Standard

Where reference is made to a specific number of samples to be tested, the specified number is to be considered a minimum quantity.

Note: Although the intended primary application of this standard is stated in its scope, it is important to note that it remains the responsibility of the users of the standard to judge its suitability for their particular purpose.

Level of harmonization

This standard adopts the IEC text with national differences.

This standard is published as an equivalent standard for CSA Group and UL.

An equivalent standard is a standard that is substantially the same in technical content, except as follows: Technical national differences are allowed for codes and governmental regulations as well as those recognized as being in accordance with NAFTA Article 905, for example, because of fundamental climatic, geographical, technological, or infrastructural factors, scientific justification, or the level of protection that the country considers appropriate. Presentation is word for word except for editorial changes.

All national differences from the IEC text are included in the CSA Group and UL versions of the standard. While the technical content is the same in each organization's version, the format and presentation may differ.

Interpretations

The interpretation by the standards development organization of an identical or equivalent standard is based on the literal text to determine compliance with the standard in accordance with the procedural rules of the standards development organization. If more than one interpretation of the literal text has been

identified, a revision is to be proposed as soon as possible to each of the standards development organizations to more accurately reflect the intent.

IEC Copyright

For CSA Group, the text, figures, and tables of International Electrotechnical Commission Publication 60745-1 Hand-Held Motor-Operated Electric Tools – Safety – Part 1: General Requirements, copyright 2006, are used in this standard with the consent of the International Electrotechnical Commission. The IEC Foreword and Introduction are not a part of the requirements of this standard but are included for information purposes only.

These materials are subject to copyright claims of IEC and UL. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of UL. All requests pertaining to the Hand-Held Motor-Operated Electric Tools – Safety – Part 1: General Requirements UL 60745-1 Standard should be submitted to UL.

ULNORM.COM : Click to view the full PDF of UL 60745-1 2022

NATIONAL DIFFERENCES

There are five types of National Differences as noted below. The difference type is noted on the first line of the National Difference in the standard. The standard may not include all types of these National Differences.

In the CSA Group and UL publications of this standard, National Differences from the text of International Electrotechnical Commission (IEC) Publication 60745-1, Safety Requirements for Hand-Held Motor-Operated Electrical Tools – Safety – Part-1: General Requirements, copyright 2006 are indicated by notations (differences) and are presented in bold text. The national difference type is included in the body.

DR – These are National Differences based on the **national regulatory requirements**.

D1 – These are National Differences which are based on **basic safety principles and requirements**, elimination of which would compromise safety for consumers and users of products.

D2 – These are National Differences from IEC requirements based on existing **safety practices**. These requirements reflect national safety practices, where empirical substantiation (for the IEC or national requirement) is not available or the text has not been included in the IEC standard.

DC – These are National Differences based on the **component standards** and will not be deleted until a particular component standard is harmonized with the IEC component standard.

DE – These are National Differences based on **editorial comments or corrections**.

Each national difference contains a description of what the national difference entails. Typically one of the following words is used to explain how the text of the national difference is to be applied to the base IEC text:

Addition / Add - An addition entails adding a complete new numbered clause, subclause, table, figure, or annex. Addition is not meant to include adding select words to the base IEC text.

Modification / Modify - A modification is an altering of the existing base IEC text such as the addition, replacement or deletion of certain words or the replacement of an entire clause, subclause, table, figure, or annex of the base IEC text.

Deletion / Delete - A deletion entails complete deletion of an entire numbered clause, subclause, table, figure, or annex without any replacement text.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 60745-1 2022

FOREWORD

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HAND-HELD MOTOR-OPERATED ELECTRIC TOOLS – SAFETY – Part 1: General requirements

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.

2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.

3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.

4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.

6) All users should ensure that they have the latest edition of this publication.

7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.

8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60745-1 has been prepared by sub-committee 61F: Safety of hand-held motor-operated electric tools, of IEC technical committee 61: Safety of household and similar electrical appliances.

This fourth edition cancels and replaces the third edition published in 2001 and its Amendment 1 (2002) and Amendment 2 (2003). It constitutes a technical revision.

Main changes in this edition include the introduction of requirements for tools with a liquid system, particularly in Clauses [8](#), [14](#) and [21](#); clarification in Clause [8](#) on the application of safety warnings; adaptation of Annex [I](#) to the latest version of IEC 61058-1; addition of requirements for electronic circuits in [18.10](#); introduction of requirements for supports or working stands in Annex [M](#); and information about routine tests in Annex [N](#).

The text of this standard is based on the following documents:

FDIS	Report on voting
61F/632/FDIS	61F/641/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A vertical line in the margin shows where this fourth edition has been modified.

This Part 1 is to be used in conjunction with the appropriate part 2, which contains clauses that supplement or modify the corresponding clauses in Part 1 to provide the relevant requirements for each type of product.

NOTE 1 In this standard, the following print types are used:

- requirements: in roman type
- test specification: in italic type
- Notes: in smaller roman type

NOTE 2 In Annexes [B](#), [K](#), [L](#) and [M](#), subclauses which are additional to those in the main body of the text are numbered starting from 201.

IEC 60745 consists of the following parts, under the general title *Hand-held motor-operated electric tools – Safety*:

Part 1: General requirements

Part 2-1: Particular requirements for drills and impact drills

Part 2-2: Particular requirements for screwdrivers and impact wrenches

Part 2-3: Particular requirements for grinders, polishers and disk-type sanders

Part 2-4: Particular requirements for sanders and polishers other than disk type

Part 2-5: Particular requirements for circular saws and circular knives

Part 2-6: Particular requirements for hammers

Part 2-7: Particular requirements for spray guns for non-flammable liquids

Part 2-8: Particular requirements for shears and nibblers

Part 2-9: Particular requirements for tappers

Part 2-11: Particular requirements for reciprocating saws (jig and sabre saws)

Part 2-12: Particular requirements for concrete vibrators

Part 2-13: Particular requirements for chain saws

Part 2-14: Particular requirements for planers

Part 2-15: Particular requirements for hedge trimmers and grass shears

Part 2-16: Particular requirements for tackers

Part 2-17: Particular requirements for routers and trimmers

Part 2-18: Particular requirements for strapping tools

Part 2-19: Particular requirements for jointers

Part 2-20: Particular requirements for band saws

Part 2-21: Particular requirements for drain cleaners

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

ULNORM.COM : Click to view the full PDF of UL 60745-1 2022

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 60745-1 2022

INTRODUCTION

Individual countries may wish to consider the application of this Part 1 of IEC 60745, so far as is reasonable, to tools not mentioned in an individual part 2 and to tools designed on new principles.

If the functions of a tool are covered by the different parts 2 of IEC 60745, the relevant part 2 is applied to each function separately, so far as is reasonable. If applicable, the influence of one function on the other is taken into account.

A product employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intention of the requirements and, if found to be substantially equivalent, may be judged to comply with the standard.

Standards dealing with non-safety aspects of hand-held tools are:

- IEC standards published by TC 59 on methods of measuring performance;
- CISPR 11 and 14 on radio interference suppression;
- IEC 61000-3-2 and IEC 61000-3-3 on electromagnetic compatibility.

ULNORM.COM : Click to view the full PDF of UL 60745-1 2022

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 60745-1 2022

HAND-HELD MOTOR-OPERATED ELECTRIC TOOLS – SAFETY – Part

1: General requirements

1 Scope

This part of IEC 60745 deals with the safety of hand-held motor-operated or magnetically driven electric tools, the rated voltage of the tools being not more than 250 V for single-phase a.c. or d.c. tools, and 440 V for three-phase a.c. tools.

So far as is practicable, this standard deals with the common hazards presented by hand-held tools which are encountered by all persons in the normal use and reasonably foreseeable misuse of the tools.

Tools with an electric heating element are within the scope of this standard. They should also comply with relevant parts of IEC 60335.

Requirements for motors not isolated from the supply, and having basic insulation not designed for the rated voltage of the tools, are given in Annex B. Requirements for rechargeable battery-powered motor-operated or magnetically driven tools and the battery packs for such tools are given in Annex K. Those for such tools that are also operated and/or charged directly from the mains or a non-isolated source are given in Annex L.

Hand-held electric tools, hereinafter referred to as tools, which can be mounted on a support or working stand for use as fixed tools without any alteration of the tool itself, are within the scope of this standard. Requirements for such supports or working stands are given in Annex M.

This standard does not apply to:

- hand-held tools intended to be used in the presence of explosive atmosphere (dust, vapour or gas);
- hand-held tools used for preparing and processing food;
- hand-held tools for medical purposes (IEC 60601);
- heating tools which are covered by IEC 60335-2-45.

For hand-held tools intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary.

For hand-held tools intended to be used in tropical countries, special requirements may be necessary.

NOTE Attention is drawn to the fact that in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities, etc.

1DV DR Addition: Add the following paragraph:

This standard deals with tools used in non-hazardous locations in accordance with the National Electrical Code, NFPA 70, and the Canadian Electric Code, Part 1, CSA C22.1, and General Requirements – Canadian Electrical Code, Part II, CAN/CSA-C22.2 No. 0.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

2DV DC Modification: Add the following:

Where the IEC or ISO normative documents are referenced in this standard, U.S. and Canadian standards shall replace the IEC or ISO documents. The following is a matrix that provides a cross-reference between CSA, UL, IEC, and ISO standards for components. The standards listed in this table are not necessarily equivalent.

CSA, UL, IEC, and ISO Standards cross reference

Subclause from this standard	Component type	IEC or ISO publication	U.S. replacement standard requirement	Canadian replacement standard requirement
Table 1, 21.36	Audio, Video and Similar Electronic Apparatus	IEC 60065 Audio, video and similar electronic apparatus – Safety requirements	UL 60065 Audio, Video and Similar Electronic Apparatus – Safety Requirements	CAN/CSA-C22.2 No. 60065 Audio, video and similar electronic apparatus – Safety requirements
23.1.5, 23.4, 24.21	Appliance Couplers	IEC 60320 (all parts) Appliance couplers for household and similar general purposes	UL 498 Attachment Plugs and Receptacles	CSA C22.2 No. 182.3 Special use attachment plugs, receptacles, and connectors
23.1.5, 23.4, 24.4, 24.21	Attachment Plugs, Receptacles, and Connectors	IEC 60309 (all parts) Plugs, socket-outlets and couplers for industrial purposes IEC 60320 (all parts) Appliance couplers for household and similar general purposes IEC 60884 (all parts) Plugs and socket-outlets for household and similar purposes	UL 498 Attachment Plugs and Receptacles UL 1682 Plugs, Receptacles, and Cable Connectors, of the Pin and Sleeve Type	CSA C22.2 No. 42 General use receptacles, attachment plugs, and similar wiring devices CSA C22.2 No. 182.1 Plugs, receptacles, and cable connectors of the pin and sleeve type CSA C22.2 No. 182.2 Industrial locking type, special use attachment plugs, receptacles, and connectors
26.4, 26.5	Coatings – Metallic and Oxide – Non-Magnetic Coatings	ISO 1463 Metallic and oxide coatings – Measurement of coating thickness – micro-scopical method ISO 2178 Non-magnetic coatings on magnetic substrates – Measurement of coating thickness – Magnetic method		

CSA, UL, IEC, and ISO Standards cross reference Continued on Next Page

CSA, UL, IEC, and ISO Standards cross reference Continued

Subclause from this standard	Component type	IEC or ISO publication	U.S. replacement standard requirement	Canadian replacement standard requirement
Annex G	Comparative Tracking Index	IEC 60112 Method for the determination of the proof and comparative tracking indices of solid insulating materials	UL 746A Polymeric Materials – Short Term Property Evaluations Note: A PLC level 3 is equivalent to a tracking index voltage of 175-250V. Or IEC 60112 Method for the determination of the proof and comparative tracking indices of solid insulating materials	CAN/CSA-C22.2 No. 0.17 Evaluation of properties of polymeric materials Note: A PLC level 3 is equivalent to a tracking index voltage of 175-250V. Or IEC 60112 Method for the determination of the proof and comparative tracking indices of solid insulating materials
Table 1, 18.10.2, 23.1.2	EMI Filters	IEC 60384-14 Fixed capacitors for use in electronic equipment – Part 14: Sectional specification: Fixed capacitors for electromagnetic interference suppression and connection to the supply mains	UL 1283 Electromagnetic Interference Filters	CSA C22.2 No. 8 Electromagnetic interference (EMI) filters CSA E384-14 Fixed Capacitors for use in Electronic Equipment – Part 14: Sectional Specification: Fixed Capacitors for Electromagnetic Interference Suppression and Connection to the Supply Mains
Table 1, 18.10.2, 23.1.2	Capacitors, Double Protection	IEC 60384-14 Fixed capacitors for use in electronic equipment – Part 14: Sectional specification: Fixed capacitors for radio interference suppression and connection to the supply mains	UL 60384-14 Fixed Capacitors for Use in Electronic Equipment - Part 14: Sectional Specification: Fixed Capacitors for Electromagnetic Interference Suppression and Connection to the Supply Mains	CSA C22.2, No. 1 Audio, video and similar electronic equipment
20.2	Environmental Testing – Hammer Tests	IEC 60068-2-75 Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests		
23.1.3	Flexible Cords and Cables	IEC 60227 (all parts) Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V IEC 60245 (all parts) Rubber insulated cables – rated	UL 62 Flexible Cord and Cables	CSA C22.2 No. 49 Flexible cords and cables

CSA, UL, IEC, and ISO Standards cross reference Continued

Subclause from this standard	Component type	IEC or ISO publication	U.S. replacement standard requirement	Canadian replacement standard requirement
		voltages up to and including 450/750 V		
8.6 , 18.10 , 18.10.3	Fuses, Low-Voltage	IEC 60127-3 Miniature fuses – Part 3: Sub-miniature fuse-links	UL 248 Series UL 248-1 Low-Voltage Fuses – Part 1: General Requirements UL 248-4 Low-Voltage Fuses – Part 4: Class CC Fuses UL 248-8 Low-Voltage Fuses – Part 8: Class J Fuses UL 248-10 Low-Voltage Fuses – Part 10: Class L Fuses UL 248-12 Low-Voltage Fuses – Part 12: Class R Fuses UL 248-15 Low-Voltage Fuses – Part 15: Class T Fuses	CSA C22.2 No. 248 Series CSA C22.2 No. 248.1 Low-Voltage Fuses – Part 1: General Requirements CSA C22.2 No. 248.4 Low-Voltage Fuses – Part 4: Class CC Fuses CSA C22.2 No. 248.8 Low-Voltage Fuses – Part 8: Class J Fuses CSA C22.2 No. 248.10 Low-Voltage Fuses – Part 10: Class L Fuses CSA C22.2 No. 248.12 Low-Voltage Fuses – Part 12: Class R Fuses CSA C22.2 No. 248.15 Low-Voltage Fuses – Part 15: Class T Fuses
12.2 , 15.2	Heater Elements	IEC 60335-1 Household and similar electrical appliances – Part 1: General requirements	UL 1030 Sheathed Heating Elements UL 60335-1 Safety of Household and Similar Electrical Appliances – Part 1: General Requirements	CSA C22.2 No. 72 Heater Elements CAN/CSA-E60335-1/4E Safety of Household and Similar Electrical Appliances – Safety – Part 1: General requirements
7.2 , 14.1.2 , 21.20	Degrees of Protection	IEC 60529 Degrees of protection provided by enclosures (IP Code)		
29.2 , Annex J	Glow Wire Test	IEC 60695-2-11 Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products		
14.6	Portable Residual Current Devices (PRCDs) Ground-Fault Circuit Interruptors (GFCI)	IEC 61540 Electrical accessories – Portable residual current devices without integral overcurrent protection for household and similar use (PRCDs)	UL 943 Ground-Fault Circuit-Interrupters	CSA C22.2 No. 144.1 Ground-fault circuit-interrupters
23.1.3	Lampholders	IEC 60238 Edison screw lampholders	UL 496 Lampholders	CSA C22.2 No. 43 Lampholders

CSA, UL, IEC, and ISO Standards cross reference Continued on Next Page

CSA, UL, IEC, and ISO Standards cross reference Continued

Subclause from this standard	Component type	IEC or ISO publication	U.S. replacement standard requirement	Canadian replacement standard requirement
		IEC 60061-1 Lamp caps and holders together with gauges for the control of interchangeability and Safety – Part 1: Lamp Caps		
Annex F	Plastics – Flammability	IEC 60695-11-5 Fire hazard testing – Part 11-5: Test flames – Needle flame test method – Apparatus, confirmatory test arrangement and guidance	UL 1694 Tests for Flammability of Small Polymeric Component Materials	CAN/CSA-C22.2 No. 0.17 Evaluation of properties of polymeric materials
29.2	Plastics – Flammability	IEC 60695-11-10 Fire hazard testing Part 11-10: Test flames – 50 W Horizontal and vertical flame test methods IEC 60695-2-13 Fire hazard testing – Part 2-13: Glowing/hot-wire based test methods – Glow-wire ignitability test method for materials	UL 94 Tests for Flammability of Plastic Note: test methodology is the same as IEC 60695-11-10 UL 746A Polymeric Materials – Short Term Property Evaluations Note: test methodology is the same as IEC 60695-2-13	CAN/CSA C22.2 No. 0.17 Evaluation of properties of polymeric materials Note: test methodology is the same as IEC 60695-11-10 CAN/CSA C22.2 No. 0.17 Evaluation of properties of polymeric materials Note: test methodology is the same as IEC 60695-2-13
16 , 23.1.4 , K.2 , K.3.203 , L.2 , L.3.203	Power Supplies	IEC 61558-1 Safety of power transformers, power supplies, reactors and similar products – Part 1: General requirements and tests IEC 61558-2-6 Safety of transformers, reactors, power supply units and combinations thereof – Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating	UL 1012 Power Units Other Than Class 2 Or IEC 61558-1 Safety of power transformers, power supplies, reactors and similar products – Part 1: General requirements and tests UL 1310 Class 2 Power Units Or IEC 61558-2-6 Safety of transformers, reactors, power supply units and combinations thereof – Part 2-6: Particular requirements and	CSA C22.2 No. 107.1 General use power supplies Or IEC 61558-1 Safety of power transformers, power supplies, reactors and similar products – Part 1: General requirements and tests CAN/CSA-C22.2 No. 223 Power supplies with extra-low-voltage class 2 outputs Or CSA IEC C22.2 No. 61558-2-6 Safety of transformers, reactors, power

CSA, UL, IEC, and ISO Standards cross reference Continued

Subclause from this standard	Component type	IEC or ISO publication	U.S. replacement standard requirement	Canadian replacement standard requirement
		transformers for general applications	tests for safety isolating transformers and power supply units incorporating safety isolating transformers for general applications Or UL 5085-1 Low Voltage Transformers – Part 1: General Requirements And UL 5085-3 Low Voltage Transformers – Part 3: Class 2 and Class 3 Transformers	supply units and similar products for supply voltages up to 1 100 V – Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers Or CSA C22.2 No. 66.1 Low Voltage Transformers – Part 1: General Requirements And CSA C22.2 No. 66.3 Low Voltage Transformers – Part 3: Class 2 and Class 3 Transformers
K.1, L.1	Battery Chargers	IEC 60335-2-29, Household and similar electrical appliances – Safety – Part 2-29: Particular requirements for battery chargers	UL 60335-2-29, Household and similar electrical appliances – Safety – Part 2-29: Particular requirements for battery chargers UL 1310 Class 2 Power Units UL 1012 Power Units Other Than Class 2 UL 60950-1 Information Technology Equipment – Safety – Part 1: General Requirements UL 1564 Industrial Battery Chargers UL 62368-1 Audio/video, Information and Communication Technology Equipment – Part 1: Safety Requirements	CSA C22.2 No. 60335-2-29 Household and similar electrical appliances – Safety – Part 2-29: Particular requirements for battery chargers CAN/CSA-C22.2 No. 107.2 Battery Chargers CAN/CSA-C22.2 No. 223 Power supplies with extra-low-voltage class 2 outputs CAN/CSA-C22.2 No. 60950-1 Information Technology Equipment – Safety – Part 1: General Requirements CSA C22.2 No. 62368-1 Audio/video, Information and Communication Technology Equipment – Part 1: Safety Requirements
23.1.10, 23.1.11, I, Clause 8 in	Switches for Appliances	IEC 61058-1 Switches for appliances – Part	UL 61058-1 (3rd edition or later) Switches for	CAN/CSA-C22.2 No 61058-1 (1st edition or later) Switches for

CSA, UL, IEC, and ISO Standards cross reference Continued on Next Page

CSA, UL, IEC, and ISO Standards cross reference Continued

Subclause from this standard	Component type	IEC or ISO publication	U.S. replacement standard requirement	Canadian replacement standard requirement
Annex I, M.23.1.11		1: General requirements	Appliances – Part 1: General Requirements UL 61058-2-6 Switches for appliances – Part 2- 6: Particular requirements for switches used in electric motor-operated hand-held tools, transportable tools and lawn and garden machinery	appliances – Part 1: General requirements CSA C22.2 No. 61058-2-6 Switches for appliances – Part 2-6: Particular requirements for switches used in electric motor-operated hand-held tools, transportable tools and lawn and garden machinery
8.10	Symbols	IEC 60417 DB Graphical symbols for use on equipment – Part 1: overview and application		
Table 1, 12.6	Systems of Insulating Material	IEC 60085 Electrical insulation – Thermal classification	UL 1446 Systems of Insulating Materials – General	CAN/CSA-C22.2 No. 0 General Requirements – Canadian Electrical Code, Part II
26.2	Terminals, Quick Connect	IEC 60760 Flat, quick-connect terminations	UL 310 Electrical Quick-Connect Terminals	CSA C22.2-No. 153 Quick-connect terminals CSA C22.2 No. 0.4 Bonding of Electrical Equipment
31.2	Lasers Requirements for Equipment Incorporating Lasers Requirements for Lasers Contained in the Applicable National Codes and Regulations	IEC 60825-1 Safety of laser products – Part 1: Equipment classification, requirements and user's guide	See Note.	CAN/CSA-E60825-1 Safety of laser products – Part 1: Equipment classification, requirements and user's guide
25.1, 25.3, 26.2	Wire Connectors and Soldering Lugs	IEC 60998-2-1 Connecting devices for low-voltage circuits for household and similar purposes – Part 2-1: Particular requirements for connecting devices as separate entities with screw-type clamping units IEC 60998-2-2 Connecting devices for low-voltage circuits for household and similar purposes – Part 2-2: Particular requirements for	UL 486A-486B Wire Connectors	CSA C22.2 No. 65 Wire connectors

CSA, UL, IEC, and ISO Standards cross reference Continued

Subclause from this standard	Component type	IEC or ISO publication	U.S. replacement standard requirement	Canadian replacement standard requirement
		connecting devices as separate entities with screwless-type clamping units IEC 60999-1 Connecting devices – Electrical copper Conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm ² up to 35 mm ² (included)		
22.3 , 23.1.3	Wires and Cables	IEC 60227 (all parts) Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V IEC 60245 (all parts) Rubber insulated cables – rated voltages up to and including 450/750 V	UL 44 Thermoset-Insulated Wires and Cables UL 83 Thermoplastic-Insulated Wires and Cables UL 758 Appliance Wiring Material	CSA C22.2 No. 38 Thermoset insulated wires and cables CSA C22.2 No. 75 Thermoplastic-insulated wires and cables CSA C22.2 No. 127 Equipment and Lead Wires CSA-C22.2 No. 210 Appliance wiring material products
8.13DV	Marking and Labeling Systems		UL 969 Marking and Labeling Systems	CSA C22.2 No. 0.15 Adhesive labels
23.1.6	Temperature-Indicating and -Regulating Equipment	IEC 60730-1 Automatic electrical controls for household and similar Use – Part 1: General requirements	UL 60730-1A Automatic Electrical Controls for Household and Similar Use, Part 1: General Requirements	CSA C22.2 No. 24 Temperature-indicating and -regulating equipment
8.13DV	Tests for Rubber Property – Effect of Liquids		ANSI/ASTM D 471 Tests for Rubber Property – Effect of Liquids	
8.13	Graphical Symbols – Design Principles	ISO 3864-2 Graphical symbols – safety colours and safety signs – Part 2: Design principles for product safety labels		

CSA, UL, IEC, and ISO Standards cross reference Continued on Next Page

CSA, UL, IEC, and ISO Standards cross reference Continued

Subclause from this standard	Component type	IEC or ISO publication	U.S. replacement standard requirement	Canadian replacement standard requirement
8.1	Graphical Symbols – Safety Signs	ISO 7010 Graphical symbols – safety colours and safety signs – safety signs used in workplaces and public areas		
29.2	Plastics – Flammability	ISO 9772 Cellular plastics – Determination of horizontal burning characteristics of small specimens subjected to a small flame	UL 94 Tests for Flammability of Plastic Materials for Parts in Devices and Appliances	CAN/CSA C22.2 No. 0.17 Evaluation of properties of polymeric materials
<p>Note: Additional regulatory requirements apply to equipment incorporating lasers, which are contained in the applicable national codes and regulations; for example, in Canada, the Radiation Emitting Devices Regulations, (C.R.C., c. 1370) and in the US, the Code of Federal Regulations (CFR), Title 21, Part 1040.</p>				

IEC 60061-DB¹⁾: 2005

Lamp caps and holders together with gauges for the control of interchangeability and safety

IEC 60065: 2001

Audio, video and similar electronic apparatus – Safety requirements

IEC 60068-2-75: 1997

Environmental testing – Part 2: Tests – Test Eh: Hammer tests

IEC 60085

Electrical insulation – Thermal classification

IEC 60112:2003

Method for the determination of the proof and the comparative tracking indices of solid insulating materials

IEC 60127-3

Miniature fuses – Part 3: Sub-miniature fuse-links

IEC 60227 (all parts)

(Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V

IEC 60245 (all parts)

Rubber insulated cables – Rated voltages up to and including 450/750 V

IEC 60309(all parts)

Plugs, socket-outlets and couplers for industrial purposes

IEC 60320(all parts)

Appliance couplers for household and similar general purposes

IEC 60335-1:2001

*Safety of household and similar electrical appliances – Part 1: General requirements Amendment 1 (2004)*²

IEC 60384-14

Fixed capacitors for use in electronic equipment – Part 14: Sectional specification: Fixed capacitors for electromagnetic interference suppression and connection to the supply mains

IEC 60417-DB³:2002

Graphical symbols for use on equipment

IEC 60529:1989

*Degrees of protection provided by enclosures (IP Code) Amendment 1 (1999)*⁴

IEC 60695-2-11

Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products

IEC 60695-11-5:2004

Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance

IEC 60695-11-10

Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods

IEC 60730-1:1999

*Automatic electrical controls for household and similar use – Part 1: General requirements Amendment 1 (2003)*⁵

IEC 60760

Flat, quick connect terminations

IEC 60825-1

Safety of Laser Products – Part 1: Equipment classification, requirements and user's guide

IEC 60884

(all parts) Plugs and socket-outlets for household and similar purposes

IEC 60998-2-1

Connecting devices for low-voltage circuits for household and similar purposes – Part 2-1: Particular requirements for connecting devices as separate entities with screw-type clamping units

IEC 60998-2-2

Connecting devices for low-voltage circuits for household and similar purposes – Part 2-2: Particular requirements for connecting devices as separate entities with screwless-type clamping units

IEC 60999-1:1999

Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm² up to 35 mm² (included)

IEC 61058-1:2000

*Switches for appliances – Part 1: General requirements Amendment 1 (2001)*⁶

IEC 61540: 1997

*Electrical accessories – Portable residual current devices without integral overcurrent protection for household and similar use (PRCDs) Amendment 1 (1998)*⁷

IEC 61558-1

Safety of power transformers, power supplies, reactors and similar products – Part 1: General requirements and tests

ISO 1463

Metallic and oxide coatings – Measurement of coating thickness – Microscopical method

ISO 2178

Non-magnetic coatings on magnetic substrates – Measurement of coating thickness – Magnetic method

ISO 3864-2

Graphical symbols – Safety colours and safety signs – Part 2: Design principles for product safety labels

ISO 7010

Graphical symbols – Safety colours and safety signs – Safety signs used in workplaces and public areas

ISO 9772

Cellular plastics – Determination of horizontal burning characteristics of small specimens subjected to a small flame

¹“DB” refers to the on-line IEC database.

² A consolidated edition (4.1) exists including IEC 60335-1:2001 and its Amendment 1 (2001).

³“DB” refers to the on-line IEC database.

⁴ A consolidated edition (2.1) exists including IEC 60529:1989 and its Amendment 1 (1999).

⁵ A consolidated edition (3.1) exists including IEC 60730-1:1999 and its Amendment 1 (2003).

⁶ A consolidated edition (3.1) exists including IEC 61058-1:2000 and its Amendment 1 (2001).

⁷ A consolidated edition (1.1) exists including IEC 61540:1997 and its Amendment 1 (1998).

3 Terms and Definitions

For the purposes of this document, the following terms and definitions apply.

Where the terms voltage and current are used, they imply the r.m.s. values, unless otherwise specified.

Where in this standard the expressions "with the aid of a tool", "without the aid of a tool", and "requires the use of a tool", are used, the word "tool" means a hand tool, for example a screwdriver, which may be used to operate a screw or other fixing means.

3.1 **accessible part:** part which can be touched by means of the standard test finger in [Figure 1](#), including, for accessible metal parts, any metal part connected to it

3.2 **accessory:** device that is attached only to the output mechanism of the tool

3.3 **all-pole disconnection:** disconnection of all supply conductors except the protective earthing (grounding) conductor by a single initiating action

3.4 **attachment:** device attached to the housing or other component of the tool and which may or may not be attached to the output mechanism and does not modify the normal use of the tool within the scope of this standard