

# UL 60745-2-8

# STANDARD FOR SAFETY

JL 607A5-2-82018 Hand-Held Motor-Operated Electric Tools - Safety - Part 2-8: Particular Requirements for Shears and Nibblers

ULNORM.COM. Click to view the full port of UL BOT A5-2.8 2018

UL Standard for Safety for Hand-Held Motor-Operated Electric Tools – Safety – Part 2-8: Particular Requirements for Shears and Nibblers, UL 60745-2-8

Second Edition, Dated March 26, 2004

#### Summary of Topics

The revisions dated November 7, 2018 are being issued to reaffirm approval of UL 60745-2-8 as an American National Standard. No changes in requirements are involved.

As noted in the Commitment for Amendments statement located on the back side of the title page, UL and CSA are committed to updating this harmonized standard jointly. However, the revision pages dated November 7, 2018 will not be jointly issued by UL and CSA as these revision pages address UL ANSI approval dates only.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The requirements are substantially in accordance with Proposal(s) on this subject dated September 7, 2018

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

JINORM. Click to view the full port of JINORM. Click to view the full port of JINORM.



CSA Group CAN/CSA-C22.2 No. 60745-2-8-04 Second Edition (IEC 60745-2-8:2003, IDT)



Underwriters Laboratories Inc. UL 60745-2-8 Second Edition

# Hand-Held Motor-Operated Electric Tools Safety – Part 2-8: Particular Requirements for Shears and Nibblers

March 26, 2004

(Title Page Reprinted: November 7, 2018)

This national standard is based on publication IEC 60745-2-8, Second Edition (2008-05).

This amendment is an adoption of IEC Amendment 1(2008) to publication IEC 60745-2-8, Second Edition (2005).





#### **Commitment for Amendments**

This standard is issued jointly by the Canadian Standards Association (operating as "CSA Group") and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to CSA Group or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of CSA Group and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue.

#### ISBN 1-55397-463-8 © 2004 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. The technical content of the IEC and ISO publications is kept under constant review by IEC and ISO. To submit a proposal for change, please send the following information to inquires@csagroup.org and include "Proposal for change" in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at shop.csa.ca or call toll-free 1-800-463-6727 or 416-747-4044.

#### Copyright © 2018 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Second Edition including revisions through November 7, 2018. The most recent designation of ANSI/UL 60745-2-8 as a Reaffirmed American National Standard (ANS) occurred on November 7, 2018. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at https://csds.ul.com.

To purchase UL Standards, visit UL's Standards Sales Site at http://www.shopulstandards.com/HowToOrder.aspx or call toll-free 1-888-853-3503.

# **CONTENTS**

Preface	
FOREWORD	7
1 Scope	
2 Normative references	
3 Terms and Definitions	
4 General requirements	
5 General conditions for the tests	<b></b> 10
6 Void	
5 General conditions for the tests 6 Void	
8 Marking and instructions	
9 Protection against access to live parts	
10 Starting	
11 Input and current	
12 Heating	
13 Leakage current	
13 Leakage current	
15 Electric strength	
16 Overload protection of transformers and associated circuits	
17 Endurance	
18 Abnormal operation	
19 Mechanical hazards	
20 Mechanical strength	
20 Mechanical strength	
22 Internal wiring	
23 Components	
24 Supply connection and external flexible cords	
25 Terminals for external conductors	
26 Provision for earthing	
27 Screws and connections	
28 Creepage distances, clearances and distances through insulation	
29 Resistance to heat, fire and tracking	
30 Resistance to rusting	
31 Radiation, toxicity and similar hazards	
W.	

# **Annexes**

Annex K – (normative) Battery Tool and Battery Packs

Annex L – (normative) Battery Tools and Battery Packs Provided with Mains Connection or Non-Isolated Sources

**Bibliography** 

No Text on This Page

JI. NORM. Com. Click to view the full port of JI. Contains a service of the contains a service o

# **Preface**

This is the common CSA and UL standard for hand-held motor-operated electric tools. It is the second edition of CAN/CSA-C22.2 No. 60745-2-8 and the second edition of UL 60745-2-8. This standard is an adoption of IEC 60745-2-8, second edition.

This common standard was prepared by the Canadian Standards Association (CSA) and Underwriters Laboratories Inc. (UL).

This standard was reviewed by the CSA Subcommittee on Portable Electric Tools, under the jurisdiction of the CSA Technical Committee on Consumer and Commercial Products and the CSA Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the CSA Technical Committee.

This standard has been approved as a National Standard of Canada by the Standards Council of Canada and has been approved by the American National Standards Institute (ANSI) as an American National Standard.

Note: Although the intended primary application of this standard is stated in its scope, it is important to note that it remains the responsibility of the users of the standard to judge its suitability for their particular purpose.

A UL standard is current only if it incorporates the most recently adopted revisions, all of which are itemized on the transmittal notice that accompanies the latest set of revised requirements.

Where reference is made to a specific number of samples to be tested, the specified number shall be considered a minimum quantity.

#### Level of harmonization

This standard adopts the IEC text. This standard is published as an equivalent standard for CSA and UL. An equivalent standard is a standard that is substantially the same in technical content, except as follows: Technical national differences are allowed for codes and governmental regulations as well as those recognized as being in accordance with NAFTA Article 905, for example because of fundamental climatic, geographical, technological, or infrastructural factors, scientific justification, or the level of protection that the country considers appropriate. Presentation is word for word except for editorial changes.

#### Interpretations

The interpretation by the standards development organization of an identical or equivalent standard is based on the literal text to determine compliance with the standard in accordance with the procedural rules of the standards development organization. If more than one literal interpretation has been identified, a revision is to be proposed as soon as possible to each of the standards development organizations to more accurately reflect the intent.

No Text on This Page

JI. NORM. Com. Click to view the full port of JI. Contains a service of the contains a service o

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# HAND-HELD MOTOR-OPERATED ELECTRIC TOOLS – SAFETY – PART 2-8: PARTICULAR REQUIREMENTS FOR SHEARS AND NIBBLERS

## **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities (IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and nongovernmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60745-2-8 has been prepared by sub-committee 61F: Safety of hand-held motor-operated electric tools, of IEC technical committee 61: Safety of household and similar electrical appliances.

This consolidated version of IEC 60745-2-8 consists of the second edition (2003) [documents 61F/465/FDIS and 61F/489/RVD] and its amendment 1 (2008) [documents 61F/735/FDIS and 61F/755/RVD].

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience.

It bears the edition number 2.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60745-1, Hand-held motor-operated electric tools – Safety – Part 1: General requirements, and its amendments. It was established on the basis of the third edition (2001) of that standard.

#### NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60745-1.

This part 2 supplements or modifies the corresponding clauses of IEC 60745-1, so as to convert that publication into the IEC standard: Safety requirements for electric shears and nibblers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

#### NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- additional annexes are lettered AA, BB, etc.

## NOTE 3 - In this standard the following print types are used:

- requirements: in roman type;
- test specifications: in italic type:
- notes: in smaller roman type.

Words in bold in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

With amendment 1, this Part 2 is established on the basis of the fourth edition (2006) of IEC 60745-1, Hand-held motor-operated electric tools – Safety – Part 1: General requirements.

Main changes include editorial modifications to match with the fourth edition of IEC 60745-1 and clarifications in Annex K.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be:

reconfirmed:

- withdrawn;
- replaced by a revised edition; or
- amended.

JINORM. Click to view the full port of the form the full port of the full

# HAND-HELD MOTOR-OPERATED ELECTRIC TOOLS - SAFETY -PART 2-8: PARTICULAR REQUIREMENTS FOR SHEARS AND **NIBBLERS**

# 1 Scope

This clause of part 1 is applicable, except as follows:

Addition:

This standard applies to shears and nibblers.

#### 2 Normative references

This clause of part 1 is applicable.

#### 3 Terms and Definitions

This clause of part 1 is applicable, except as follows:

Additional definitions:

- DF OF UL 60145-2.82018 3.101 shear: tool intended for shearing of metal sheets, plates and strips
- 3.102 nibbler: tool intended for punching of metal speets, plates and strips

# 4 General requirements

This clause of part 1 is applicable.

# 5 General conditions for the tests

This clause of part 1 is applicable.

#### 6 Void

#### 7 Classification

This clause of part 1 is applicable.

#### 8 Marking and instructions

This clause of part 1 is applicable, except as follows:

#### 8.1 Addition:

In addition the tool shall have the following marking:

- maximum thickness, in millimetres, of sheet metal which can be cut.

of 3 of 3 of JIL 60 TAB-2-8 2018 The marking for the maximum thickness shall be related to steel having a tensile strength of 390 N/mm<sup>2</sup>, unless otherwise indicated on the tool.

#### 9 Protection against access to live parts

This clause of part 1 is applicable.

#### 10 Starting

This clause of part 1 is applicable.

#### 11 Input and current

This clause of part 1 is applicable.

## 12 Heating

This clause of part 1 is applicable, except as follows:

## 12.4 Replacement:

The tool is operated at rated input or rated current for 30 min. The temperature rises are measured at the end of the 30 min.

#### 13 Leakage current

This clause of part 1 is applicable.

#### 14 Moisture resistance

This clause of part 1 is applicable.

# 15 Electric strength

This clause of part 1 is applicable.

## 16 Overload protection of transformers and associated circuits

This clause of part 1 is applicable.

## 17 Endurance

This clause of part 1 is applicable.

#### 18 Abnormal operation

This clause of part 1 is applicable.

#### 19 Mechanical hazards

This clause of part 1 is applicable.

#### 20 Mechanical strength

This clause of part 1 is applicable, except as follows.

20.5 This subclause is not applicable.

#### 21 Construction

This clause of part 1 is applicable, except as follows.

21.32 This subclause is not applicable.

#### 22 Internal wiring

This clause of part 1 is applicable.

#### 23 Components

This clause of part 1 is applicable.

# 24 Supply connection and external flexible cords

This clause of part 1 is applicable, except as follows:

24.4 Replacement of the first paragraph:

Supply cords shall be not lighter than heavy polychloroprene sheathed flexible cable (60245 IEC 66).

# 25 Terminals for external conductors

This clause of part his applicable.

# 26 Provision for earthing

This clause of part 1 is applicable.

#### 27 Screws and connections

This clause of part 1 is applicable.

#### 28 Creepage distances, clearances and distances through insulation

This clause of part 1 is applicable.